



Molecular
Dimensions



MIDASplus™

MD1-106

MIDASplus™: The original MIDAS screen with new precipitants – explore chemical space even further with this new and improved crystallization kit.

MD1-106 is presented as 96 x 10 mL conditions.

Features of MIDASplus™:

- Ideal for soluble protein, protein/protein complexes, protein-nucleic acid complexes and sensitive macromolecular complexes.
- Includes addition of PPGBA's to increase diversity of polymers in the screen.
- Narrow range of pH and salt concentrations centered on physiological values.
- Every condition contains at least one alternative polymeric precipitant.
- Designed to complement PEG and salt-based screens.
- Compatible with liquid-handling robots.

There are many alternatives to PEGs which have been described as being useful for macromolecular crystallogenesis; alternative polymers (Figure 2) e.g. Jeffamine® polyetheramines, pentaerythritol propoxylate and pentaerythritol ethoxylate, polyvinylpyrrolidone, polypropylene glycol, polyvinyl alcohol and polyacrylate have so far only sporadically been introduced into standard crystallization screens.




Figure 1. Examples of protein crystals grown using conditions from MIDASplus.

(A) Lysozyme crystals obtained in 35% Sokalan HP 56, (B) spliceosomal assembly complex (SAC) 7 obtained in 6% polyvinyl pyrrolidone, (C) Crystals of the cytokine receptor-ligand complex obtained in 45% pentaerythritol propoxylate (5/4 PO/OH), (D) Crystals of streptavidin core obtained in 5% polyacrylate 2100, sodium salt, (E) Histone tail recognizing MBT repeats in 35% polyacrylate 2100, sodium salt, (F) Lysozyme crystals in 30% Sokalan CP 42,(G) Crystals of spliceosomal assembly complex (SAC) 9 obtained in 25% Sokalan CP 42.

Introduction

MIDASplus™ is an updated 96 condition crystallization screen based on the MIDAS alternative polymeric precipitant screen. Devised and tested (Figure 1) in the Laboratory of Dr. Clemens Grimm *et al* of Würzburg University in Germany. MIDASplus has taken the same core chemicals as found in MIDAS but with a group of polymers called the polypropylene glycol bis-aminopropylether's (PPGBA's). These will increase the polymer diversity of the current screen. MIDASplus contains the following new PEG alternatives:

Sokalan® PA 25 CL

Sokalan® CP45


PPGBA 230

PPGBA 400 and



PPGBA 2000

PEG Alternatives:

For decades PEGs or their monomethyl ethers (PEG MMEs), have dominated crystallization screens. Out of 8289 entries scanned in the PDB, almost half of the crystallization conditions contained a PEG component and most commercial screens available today contain PEGs. However, the success rate of PEGs might be influenced due to their widespread dominance in crystallization screens.



Molecular
Dimensions



Formulation Notes:

MIDASplus™ reagents are formulated using ultrapure water ($>18.0\text{ M}\Omega$) and are sterile-filtered using $0.22\text{ }\mu\text{m}$ filters. No preservatives are added.

Final pH may vary from that specified on the datasheet. Molecular Dimensions will be happy to discuss the precise formulation of individual reagents.

Individual reagents and stock solutions for optimization are available from Molecular Dimensions.


Enquiries regarding MIDASplus™ formulation, interpretation of results or optimization strategies are welcome. Please e-mail, fax or phone your query to Molecular Dimensions.

Contact and product details can be found at www.moleculardimensions.com


Manufacturer's safety data sheets are available to download from our website.

References :


Grimm, C., Chari, A., Reuter, K. & Fischer, U. (2010). Acta Cryst. D66, 685-697.




Pentaerythritol ethoxylate.




Pentaerythritol propoxylate




Jeffamine ED2003




Poly(propylene glycol)
bis(2-aminopropyl ether)
PPGBA




Poly(acrylic acid-co-maleic) acid




polyvinylpyrrolidone



polypropylene glycol



Vinylpyrrolidone/vinylimidazole
Copolymer




polyvinyl alcohol



Figure 2. Examples of alternative precipitants used in MIDASplus™,

MIDASplus™ is manufactured and distributed under an exclusive license with Dr. C. Grimm & Prof. Dr. U. Fischer.

Limited Use and Restrictions: Products sold by Molecular Dimensions Ltd. or its affiliates or authorized distributors and information relating to same are intended for research use only in crystal growth and optimization of crystal growth following use of the product by the purchaser and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, including resale or use in manufacture. The license to use MIDASplus™ specifically excludes any rights to use the product information for the manufacture of the product or derivatives thereof, or distribute, transfer, or otherwise provide access to such information to any third party for any purpose or use.



Molecular
Dimensions



Re-Ordering details:

Catalogue	Pack size	Catalogue Code
MIDASplus™	96 x 10 mL	MD1-106
MIDASplus™ HT-96	96 x 1 mL	MD1-107
MIDASplus™ FX-96	96 x 100 µL	MD1-107-FX

Single Reagents

MIDASplus™ single reagents	100 mL	MDSR-106-tube number
MIDASplus™ HT-96 single reagents	100 mL	MDSR-107-well number

For MIDASplus™ stock solutions please visit the Optimization section on our website.

For individual stock reagents for MIDASplus™ see our website.

Notes:

Abbreviations: **BICINE:** 2-(Bis(2-hydroxyethyl)amino)acetic acid, **Bis-Tris:** Bis-(2-hydroxyethyl)amino-tris(hydroxymethyl)methane, **HEPES:** 4-(2-Hydroxyethyl)piperazine-1-ethanesulfonic acid, **MES:** 2-(N-morpholino)ethanesulfonic acid, **PEG:** Polyethylene glycol, **Tris:** 2-Amino-2-(hydroxymethyl)propane-1,3-diol.

N.B. Polyvinylpyrrolidone K15 is now called Polyvinylpyrrolidine, PPGBA2000 is the same as Jeffamine D2000.

The conditions shown on this datasheet may differ from those shown on previous versions of the datasheets due to the discontinuation of raw material supply for the following:

Glascol W13, SOKALAN® CP 12 S and SOKALAN® HP 66 K, Jeffamine D-2000, Jeffamine ED-900, Jeffamine M-2005, Jeffamine M-2070, Jeffamine SD-2001, Jeffamine T-403 and Pentaerythritol propoxylate (17/8 PO/OH). If you require further advice regarding the changes to these conditions or if you have any hits in conditions containing any of the above please contact us at enquiries@moleculardimensions.com

SOKALAN® are water-soluble polymers based on acrylic acid, maleic acid, vinylpyrrolidone, vinylimidazole and/or hydrophobic monomers.

The following components are adjusted to pH 7 prior to using

Jeffamine® M-600 (HCl)


Jeffamine® ED-2003 (HCl)

PPGBA 400 (HCl)

PPGBA 2000 (HCl)

PPGBA 230 (HCl)



SOKALAN® CP 45 (NaOH)

Molecular
Dimensions


MIDASplus™

Conditions 1-48 (Box 1)

MD1-106





Tube #	Conc.	Units	Salt	Conc.	Units	Buffer	pH	Conc.	Precipitant1	Conc.	Units	Precipitant2
1-1				0.1 M		HEPES	6	50 % v/v	Polypropylene glycol 400	5 % v/v		Dimethyl sulfoxide
1-2				0.1 M		MES	5.5	12 % w/v	Polyvinylpyrrolidone			
1-3				0.1 M		HEPES	6.5	45 % w/v	Poly(acrylic acid sodium salt) 2100			
1-4								14 % v/v	Poly(acrylic acid-co-maleic acid) solution			
1-5	0.5 M		Ammonium phosphate monobasic					12.5 % w/v	Poly(acrylic acid sodium salt) 2100			
1-6				0.1 M		Tris	8.5	19 % v/v	Poly(acrylic acid-co-maleic acid) solution			
1-7								10 % v/v	Polypropylene glycol 400			
1-8								5 % w/v	Poly(acrylic acid sodium salt) 2100			
1-9				0.1 M		MES	6	25 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)			
1-10	0.1 M		Sodium sulfate					24 % w/v	Polyvinylpyrrolidone			
1-11	0.2 M		Calcium chloride dihydrate	0.1 M		HEPES	6.5	35 % v/v	Pentaerythritol ethoxylate (15/4 EO/OH)			
1-12				0.1 M		Potassium/sodium phosphate	7	35 % v/v	Polypropylene glycol 400			
1-13*	0.1 M		Sodium formate					20 % w/v	SOKALAN® CP 45			
1-14	0.2 M		Sodium thiocyanate	0.1 M		HEPES	7	15 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)			
1-15*	0.1 M		Sodium chloride	0.1 M		HEPES	7	25 % w/v	SOKALAN® PA 25 CL			
1-16	0.2 M		Sodium chloride	0.1 M		MES	6	45 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)			
1-17				0.1 M		HEPES	7	8 % w/v	Polyvinyl alcohol			
1-18	0.1 M		Lithium sulfate	0.1 M		HEPES	7	30 % w/v	Polyvinylpyrrolidone	10 % v/v		1-Propanol
1-19				0.2 M		Imidazole	7	40 % v/v	Polypropylene glycol 400			
1-20	0.06 M		Lithium sulfate	0.1 M		HEPES	7.5	8 % v/v	Poly(acrylic acid-co-maleic acid) solution	3 % v/v		Pentaerythritol ethoxylate (3/4 EO/OH)
1-21*	0.1 M		Sodium tartrate dibasic dihydrate	0.1 M		HEPES	7	20 % w/v	SOKALAN® PA 25 CL			
1-22								30 % v/v	Jeffamine® M-600	10 % v/v		Dimethyl sulfoxide
1-23								20 % v/v	Polypropylene glycol 400	10 % v/v		1-Propanol
1-24				0.1 M		HEPES	6.5	28 % v/v	Poly(acrylic acid-co-maleic acid) solution			
1-25								15 % v/v	Jeffamine® ED-2003	10 % v/v		Ethanol
1-26	0.2 M		Sodium chloride	0.1 M		MES	6	30 % v/v	Jeffamine® ED-2003			
1-27*	0.1 M		Sodium malonate dibasic monohydrate	0.1 M		MES	5.5	25 % w/v	SOKALAN® CP 45			
1-28	0.2 M		Sodium chloride	0.1 M		MES	6	15 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)			
1-29	0.2 M		Magnesium chloride hexahydrate					35 % v/v	Pentaerythritol ethoxylate (3/4 EO/OH)			
1-30								40 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)	15 % v/v		Ethanol
1-31				0.1 M		Tris	8	50 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)			
1-32	0.2 M		Sodium chloride	0.1 M		Tris	8	12.5 % w/v	Polyvinylpyrrolidone	10 % w/v		PEG 4000
1-33	0.1 M		Sodium chloride					25 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)	10 % v/v		Dimethyl sulfoxide
1-34	0.2 M		Ammonium sulfate	0.1 M		HEPES	7.5	35 % w/v	Poly(acrylic acid sodium salt) 2100			
1-35	0.1 M		Magnesium formate dihydrate	0.1 M		Tris	8.5	30 % v/v	Pentaerythritol ethoxylate (15/4 EO/OH)			
1-36	0.2 M		Potassium acetate					24 % v/v	Poly(acrylic acid-co-maleic acid) solution			
1-37				0.1 M		Tris	8	60 % v/v	Polypropylene glycol 400			
1-38				0.1 M		HEPES	7.5	30 % v/v	Pentaerythritol ethoxylate (15/4 EO/OH)	6 % w/v		Polyvinylpyrrolidone
1-39								45 % v/v	Polypropylene glycol 400	10 % v/v		Ethanol
1-40								10 % v/v	Pentaerythritol ethoxylate (3/4 EO/OH)	10 % v/v		1-Butanol
1-41*				0.1 M		HEPES	7	12.5 % w/v	Poly(acrylic acid sodium salt) 2100	6 % v/v		PPGBA 2000
1-42				0.1 M		HEPES	6.5	6 % w/v	Polyvinylpyrrolidone			
1-43				0.1 M		HEPES	6.5	20 % v/v	Jeffamine® ED-2003			
1-44				0.1 M		Tris	8	20 % v/v	Glycerol ethoxylate			
1-45*				0.2 M		Imidazole	7	25 % v/v	PPGBA 2000	10 % v/v		Tetrahydrofuran
1-46*	0.2 M		Potassium chloride	0.1 M		HEPES	6.5	30 % v/v	PPGBA 230			
1-47	0.1 M		Sodium chloride					30 % v/v	Polypropylene glycol 400	15 % v/v		1-Propanol
1-48*								20 % v/v	PPGBA 400			

Molecular
Dimensions

MIDASplus™

Conditions 1-48 (Box 2)

MD1-106



Tube #	Conc.	Units	Salt	Conc.	Units	Buffer	pH	Conc.	Precipitant1	Conc.	Units	Precipitant2	Conc.	Units	Precipitant3
2-1*	0.1 M		Lithium citrate tribasic tetrahydrate	0.1 M		Tris	8.5	15 % v/v	PPGBA 400						
2-2	0.2 M		Potassium acetate					35 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)						
2-3	0.2 M		Potassium chloride	0.1 M		Glycine	9.5	20 % v/v	Pentaerythritol ethoxylate (15/4 EO/OH)						
2-4	0.2 M		Sodium thiocyanate	0.1 M		HEPES	7	40 % v/v	Pentaerythritol propoxylate (5/4 PO/OH)						
2-5*								25 % w/v	SOKALAN® CP 45						
2-6*	0.2 M		Potassium acetate	0.1 M		MES	6	15 % v/v	Pentaerythritol ethoxylate (15/4 EO/OH)						
2-7	0.1 M		Sodium malonate dibasic monohydrate	0.1 M		HEPES	7	30 % w/v	Poly(acrylic acid sodium salt) 2100						
2-8*								10 % v/v	PPGBA 230						
2-9	0.1 M		Lithium sulfate	0.1 M		Tris	8	25 % v/v	Jeffamine® ED-2003						
2-10*						Tris	8	20 % w/v	SOKALAN® PA 25 CL						10 % v/v Ethanol
2-11	0.1 M		Lithium sulfate	0.1 M		HEPES	6.5	25 % w/v	Poly(acrylic acid sodium salt) 2100						
2-12	0.2 M		Magnesium chloride hexahydrate	0.1 M		HEPES	7.5	15 % w/v	Poly(acrylic acid sodium salt) 2100						
2-13*						HEPES	6.5	40 % v/v	PPGBA 2000						
2-14	0.5 M		Sodium chloride	0.1 M		Tris	8	10 % w/v	Poly(acrylic acid sodium salt) 2100						
2-15*						Potassium/sodium phosphate	7	10 % v/v	PPGBA 230						15 % v/v PPGBA 400
2-16	0.2 M		Sodium chloride	0.1 M		BICINE	9	20 % w/v	Poly(acrylic acid sodium salt) 2100						
2-17*	0.2 M		Sodium malonate dibasic monohydrate	0.1 M		MES	5.5	20 % v/v	PPGBA 2000						
2-18*	0.1 M		Cesium chloride					25 % w/v	SOKALAN® CP 45						
2-19*								25 % w/v	SOKALAN® PA 25 CL						
2-20*	0.2 M		Lithium nitrate	0.1 M		Bis-Tris	6.5	30 % v/v	PPGBA 400						
2-21						Tris	8	20 % w/v	Poly(acrylic acid sodium salt) 5100						
2-22						HEPES	7	28 % v/v	Polyethyleneimine						
2-23	0.1 M		Ammonium formate	0.1 M		HEPES	7	20 % w/v	SOKALAN® CP 7						
2-24	0.2 M		Sodium sulfate	0.1 M		Tris	8	20 % w/v	SOKALAN® HP 56						
2-25	0.1 M		Potassium chloride	0.1 M		HEPES	7	25 % w/v	SOKALAN® CP 7						
2-26	0.3 M		Ammonium formate	0.1 M		HEPES	7	20 % w/v	SOKALAN® CP 5						
2-27								40 % v/v	Glycerol ethoxylate						
2-28						Tris	8.5	30 % v/v	Glycerol ethoxylate						
2-29								55 % v/v	Polypropylene glycol 400						
2-30	0.2 M		Lithium citrate tribasic tetrahydrate					35 % v/v	Glycerol ethoxylate						
2-31	0.2 M		Ammonium acetate	0.1 M		MES	6.5	30 % v/v	Glycerol ethoxylate						
2-32						Tris	8	20 % w/v	SOKALAN® CP 42						5 % v/v Methanol
2-33						Tris	7	25 % w/v	SOKALAN® CP 42						10 % v/v Tetrahydrofuran
2-34	0.1 M		Lithium acetate dihydrate	0.1 M		Bis-Tris	6	20 % w/v	SOKALAN® CP 42						
2-35*	0.1 M		Sodium chloride	0.1 M		Bis-Tris	5.5	20 % v/v	PPGBA 400						
2-36						Bis-Tris	6	15 % w/v	SOKALAN® CP 5						
2-37						Bis-Tris	6	25 % w/v	SOKALAN® CP 42						
2-38*	0.2 M		Ammonium formate					25 % v/v	PPGBA 400						
2-39						Tris	8.5	20 % v/v	Glycerol ethoxylate						3 % v/v Polyethyleneimine
2-40	0.2 M		Ammonium chloride	0.1 M		HEPES	7.5	25 % v/v	Glycerol ethoxylate						
2-41						Tris	8.5	10 % w/v	SOKALAN® CP 42						
2-42						MES	6	30 % w/v	Poly(acrylic acid sodium salt) 5100						10 % v/v Ethanol
2-43	0.2 M		Potassium citrate tribasic monohydrate					15 % w/v	SOKALAN® CP 42						
2-44						Tris	8.5	30 % w/v	SOKALAN® CP 42						
2-45	0.2 M		Ammonium acetate	0.1 M		HEPES	7	25 % w/v	SOKALAN® HP 56						
2-46						Tris	8.5	25 % w/v	SOKALAN® CP 5						
2-47	0.2 M		Ammonium formate					10 % w/v	Polyvinylpyrrolidone						20 % w/v PEG 4000
2-48						Tris	8	15 % w/v	Polyvinylpyrrolidone						25 % w/v PEG 5000 MME